

BOLTS - GALVANIZED

Part No.	Size	Per Sack	Lbs Each
11302	5/16" OD x 1-1/4" L	2,000	0.039
11303	5/16" OD x 1-1/2" L	2,000	0.043
11304	5/16" OD x 1-3/4" L	1,000	0.047
11305	5/16" OD x 2" L	1,000	0.051
11306	5/16" OD x 2-1/4" L	1,000	0.055
11307	5/16" OD x 2-1/2" L	1,000	0.059
11311	3/8" OD x 1-1/4" L	1,000	0.061
11312	3/8" OD x 1-1/2" L	1,000	0.067
11313	3/8" OD x 2" L	1,000	0.078
11314	3/8" OD x 2-1/4" L	1,000	0.084
11315	3/8" OD x 2-1/2" L	1,000	0.090
11316	3/8" OD x 2-3/4" L	1,000	0.095
11317	3/8" OD x 3" L	1,000	0.101
11318	3/8" OD x 3-1/2" L	1,000	0.112
11319	3/8" OD x 4" L	1,000	0.124

Hot-Dip Galvanized Carriage Bolts With Nuts



Part No.	Size	Per Sack	Lbs Each
11401	2" x 3-15/16"	125	0.463
11402	2-3/8" x 4-1/16"	125	0.507
11403	2-7/8" x 3-3/4"	100	0.520
11404	3-1/2" x 4-15/16"	100	0.650
11405	4" x 5-1/2"	100	0.680
11406	4-1/2" x 6-1/2"	50	0.772
11411	2" x 3-5/16"	100	0.395
11412	3" x 4-5/8"	100	0.550

U-Bolts For Rolling Gate 1/2" Round Steel - With Nuts





Part No.	Size	Per Sack	Lbs Each
11421	6-5/8" x 8-3/4"	25	1.800
11422	8-5/8" x 11"	25	1.984


U-Bolts - Industrial Size 5/8" Round Steel - With Nuts



BOLTS - GALVANIZED

Hook Bolts - With Nut	Part No.	Size	Per Sack	Lbs Each
	11381	1/4" OD x 5" L	500	0.077
	11382	5/16" OD x 6" L	500	0.154
	11383	3/8" OD x 6" L	250	0.194
Eye Bolts - 3/8" Eye - With Nut	Part No.	Size	Per Sack	Lbs Each
	11321	3/8" x 2-3/4"	250	0.155
	11322	3/8" x 4-1/2"	250	0.205
	11323	3/8" x 6"	50	0.245
Wire Stretching Bolt - With Nut	Part No.	Size	Per Sack	Lbs Each
	11435	5/16" OD x 5" L	500	0.106

BOLTS - GALVANIZED

Part No.	Size	Per Sack	Lbs Each	Machine Bolts - With Nut
11391	3/8" OD x 3" L	500	0.127	
11392	1/2" OD x 3" L	300	0.191	
11393	1/2" OD x 3-1/2" L	300	0.222	
11394	5/8" OD x 4-1/2" L	100	0.500	
11397	5/8" OD x 6-1/2" L	75	0.558	

NUTS

Part No.	Size	Per Sack	Lbs Each	Hex Nuts - Galvanized
24101	Finish 1/4"	200	0.010	
24102	Finish 5/16"	200	0.011	
24103	Finish 3/8"	200	0.012	
24121	Finish 1/2"	200	0.020	
24141	Finish 5/8"	200	0.030	